

*PUREPRO*  
DRINKING WATER SYSTEM

# PUREPRO ALKALINE RO SYSTEM

*Pure & Simple*

The Alkaline filter changes the acidic RO water  
into a perfect Natural Alkali Calcium Ionized Water.

Convert your water into healthy drinking water



# The next generation Alkaline RO system has arrived

The Alkaline filter changes the acidic RO water into a perfect Alkaline Ionized Water. Balanced pH value of 8.0~9.5

## Supreme Quality, Luxury RO System

PurePro® Luxury RO system is a modern kitchen appliance that has been carefully designed with health consciousness, efficiency, high performance and convenience in mind.

PurePro® Luxury RO system uses 100GPD membrane which is powerful, fast and excellent efficiency.



## LUX-106A

### Specifications:

Membrane: 100 GPD / 378 LPD  
Water storage tank: 3.2gallons  
With a booster pump (optional):  
Input in AC 110Volt, 220Volt or 240Volt (50/60Hz)  
Operation pressure: 50 - 100 psi  
Dimensions: (cm) 37 (L) x 20 (W) x 45(H) - system  
(cm) 28 (L) x 28 (W) x 35 (H) - tank  
Weight: 8 kg - system  
4 kg - tank

# The World's Most Luxurious Alkaline RO System



The Alkaline filter changes the acidic RO water into a perfect Alkaline Ionized Water. Balanced pH value of 8.0 ~9.5

## Supreme Quality, Luxury RO System

PurePro® Luxury RO system is a modern kitchen appliance that has been carefully designed with health consciousness, efficiency, high performance and convenience in mind.

PurePro® Luxury RO system uses 100GPD membrane which is powerful, fast and excellent efficiency.



## LUX-106A-P

### Specifications:

Membrane: 100 GPD / 378 LPD  
Water storage tank: 3.2gallons  
With a booster pump (optional):  
Input in AC 110Volt, 220Volt or 240Volt (50/60Hz)  
Operation pressure: 50 - 100 psi  
Dimensions: (cm) 37 (L) x 20 (W) x 45(H) - system  
(cm) 28 (L) x 28 (W) x 35 (H) - tank  
Weight: 8 kg - system  
4 kg - tank

# *It's Better Water* *Clean Refreshing Taste*

Discover the most powerful detoxifying,  
hydrating & energy boosting water available.



## Natural Alkaline Oxygen RO Systems

M800-Alkaline comes with 6th stage PurePro® Alkaline Filter that will reduce acidity in the body and it will produce natural calcium, magnesium, sodium and potassium ions that can be absorbed 100% in the human body.



## M800-Alkaline

### Specifications:

Membrane: 50 GPD / 189 LPD  
Water storage tank: 3.2gallons  
With a booster pump (optional):  
Input in AC 110Volt, 220Volt or 240Volt (50/60Hz)  
Operation pressure: 10 - 80 psi  
Dimensions: (cm) 30 (L) x 20 (W) x 41(H) - system  
(cm) 28 (L) x 28 (W) x 35 (H) - tank  
Weight: 6 kg - system  
4 kg - tank

# Natural Alkaline Drinking Water

Alkaline water for better health using our patented process to create the best all natural and stable high pH ionic calcium alkaline water available.



## Natural Alkaline Oxygen RO Systems

S800-Alkaline comes with 6th stage PurePro® Alkaline Filter that will reduce acidity in the body and it will produce natural calcium, magnesium, sodium and potassium ions that can be absorbed 100% in the human body.



## S800-Alkaline

### Specifications:

Membrane: 50 GPD / 189 LPD  
Water storage tank: 2.2gallons  
With a booster pump (optional):  
Input in AC 110Volt, 220Volt or 240Volt (50/60Hz)  
Operation pressure: 10 - 100 psi  
Dimensions: (cm) 47 (L) x 27 (W) x 40(H) - system  
Weight: 11.5 kg

© PUREPRO USA CORP., ILLINOIS, U.S.A.



# Discover The Incredible Health Benefits Of Alkaline Ionized Water

The only filtration in the world today that will reduce acidity in the body and it will produce natural calcium, magnesium, sodium and potassium ions that can be absorbed 100% in the human body.



## New 6 Stage with Alkaline Filter

This revolutionary new PurePro 6 stage system uses Reverse Osmosis, Alkaline Filter and Carbon Filtration to put refreshing, clean water at your fingertips. No other system available anywhere can give you all three kinds of purification in a system that is so simple.



## G-106A

### Specifications:

Membrane: 50 GPD / 189 LPD  
 Water storage tank: 3.2gallons  
 With a booster pump (optional):  
 Input in AC 110Volt, 220Volt or 240Volt (50/60Hz)  
 Operation pressure: 50 - 100 psi  
 Dimensions: (cm) 36 (L) x 21 (W) x 47(H) - system  
 (cm) 28 (L) x 28 (W) x 35 (H) - tank  
 Weight: 10 kg - system  
 4 kg - tank